



CELERIO



BIMAL AUTO AGENCY PLATINUM AWARDS

4.8 ** 32,000+ kerala.bi One Call 087 4

Google 4.8 **** 32,000+ Reviews kerala.bimalmaruti.com One Call 087 4809 4809

5+ LOCATIONS 1 EXPERIENCE

<u>SALES</u> Kannur Road, Kozhikode

<u>SERVICE</u> Areekkad, Kozhikode

CELERIO

TRUE VALUE Vengalam, Thiruvangoor

UE DRIVING SCHOOL Puthiyara, poor Kozhikode COMMERCIAL Pooladikunnu, Kozhikode

OUR EMPLOYEES ARE VACCINATED, YOU ARE WELCOME TO A SAFER CAR BUYING EXPERIENCE. WALKIN NOW !



From its Front Grille Design to elegant Back Door Garnish, the Celerio keeps it light and fresh from every angle.

TSrteynlitby Wheel

CELERIO

AGS Technology, an Integrated Bluetooth Entertainment System and Steeringmounted Audio Controls in the Celerio make driving it just as easy as loving it.



Integrated Bluetooth Entertainment System





Stylish Front Grille & Bumper Design

6

CELERIO

a D



The interiors of the Celerio are designed to be as comfortable as they are stylish. Space, style, comfort and convenience, the Celerio has it all.





PERFORMANCE


PETROL

21.63*km/l

CNG

start base of an initial strength

The 1L K-series Engine with Drive-by-Wire technology is as exciting as it is fuel efficient. Get ready to wear a smile every time you're behind the whee!



1L K-series Engine

SAFETY

The Celerio comes with Dual Airbags, Anti-lock Braking System (ABS), Front Seat Belt Pre-tensioners and Force Limiters, as well as being Pedestrian, Offset and Side Impact Safety Compliant.



EQUIPMENT LIST

SPECIFICATION SHEET

	IN: MT	LV: MT(O)			7\/: NAT	7)/: MT (0		CNG				TY: ANT (O	
Variants	LXi MT	LXi MT(O)	VXi MT	VXi MT(O)	ZXi MT	ZXi MT (Op	t) Green VXi	Green VXi (O) VXi AMT	VXi AMT(O)	ZXI AMT	ZXi AMT (O	SPECIFICATION SHEET
Exterior													Dimensions (in
ORVM with Turn Indicators	Х	Х	X	Х			Х	Х	X	Х			mm) Overall
Front Fog Lamps	Х	Х	Х	Х	X		Х	Х	Х	Х	Х	Х	L
Body Colored Bumper													Length
Body Colored ORVMs	Х	X											Overall Width
Body Colored Outside Door Handles	X	X											Overall Height
Body Colored Back Door Garnish													
Grille	Materia	Material	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Wheelbase
Full Wheel Covers		X (Center cap)				X							Tread
Alloy Wheels	X X	(center cap)	X	X	X		Х	Х	X	Х	Х	Х	
Interiors			X	K	X	1	X	X	X	X	X	~	Engine
	X	×	1				1	1	1				Туре
Co-Dr Vanity Mirror in Sun Visor Door Trim Fabric - Front Door	X	X	v	v			v	v	v	×			Canacity
Day Night IRVM	x	x	X	X			Х	Х	Х	Х		<u> </u>	Capacity
Drink Holder	5	5	5	5	5	5	5	5	5	5	5	5	Engine Type
Driver Seat Height Adjuster	x	x X	5 X		5 X	-	-	-	-		5 X	- 5 X	Number of Cylinders
Front Seat Back Pockets (Passenger	X	X	X	X	^		X	X	X	X	~	~	
Side) Rear Seat (60:40 split)	X	X	^	^			Х	Х	Х	Х			Number of Valves in Each Cyli
Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	
Comfort and Convenience	Integrated	Integrated	Integrated	1 Integrated	Integrated	Integrated	Integrated	integrated	Integrated	integrated	Integrated	Integrated	Maximum Output (kW/rpm)
Air Conditioner (Manual)													
Air Conditioner (Manual) Audio with Radio, CD, USB, AUX-in &	Х	Х	Х	X			Х	Х	Х	Х		<u> </u>	Maximum Torque (Nm/rpm)
Bluetooth No. of Speakers	X	X	X	X	4	4	X	X	X	X	4	4	riadinani rorque (mil/ipili)
Keyless Entry (5 Doors)	X	X	X	X	4	4	X	X	X	X	4	4	
	X	X	X	X	N/		X	X	X	X		X	Emission Standard
Security System Central Door Lock (5 Doors)			^	^	Х		^	^	^	^	Х	Х	Type Accelerator Pedal
Central Door Lock (5 Doors) Electric Windows (Power Windows)	X	X	Er/Dr	Er/Dr	5.0		Er/Dr	Er/Dr	Er/Dr	Er/Dr	F. (D.	E (D	
Electric Windows (Power Windows) Power Windows - Auto Down (Driver Side)	X	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Transmission
	~	~				_	Tarath				_		Туре
Outside Mirrors Type	Pivot	Pivot	Inside Manua	Inside Manua	Electrically Adjustable	Electrically Adjustable	Inside Manual	Inside Manual	Inside Manua	Inside Manua	Electrically Adjustable	Electrically Adjustable	Suspension System
Audio Controls In Steering Wheel	Х	X	Х	X	, ajustable	Aujustable	X	X	Х	Х	, lajustable	, .0,030000	
Power Steering	~	~	~	~					~	~			Front
Central Console & Instrument Panel	1	1				1		1	1				Rear
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	
Tachometer	X	X	X	X	Amber	Ambel	X	X	Amber	Ambei	Amber	AIIIDEI	Weight (kg)
Urethane Steering	^	^	^	^			^	^				<u> </u>	Weight (kg)
Wheel Tilt Steering	Х	X	X	Х			Х	Х	X	X			Kerb Weight (min./with
Accessory Socket	^	^	^	^			^	^		~		<u> </u>	
Dial-Type Climate	DI!-	Dii-	Cilver Delet	Cilver Delet	Cilver Delet	Cilver Deint	Cilver Deini	Cilver D-int	Cilver D-i	Cilver Delet	Cilver Delet	Cilver Delet	Options) Gross Vehicle Weigh
	Black	Black	Silver Paintee						Silver Painted	Silver Painted	Silver Paintec	Silver Painted	Capacity
Control	Х	Х	X	X	Х	Х	Х	Х	I				Seating Capacity
Safety and Security													Luggage Capacity (L)
Driver Airbag											N/		30.0
Passenger AirbagsX X X							Х		Х		Х		Fuel Tank Capacity (L)
Seat Belt Reminder (Driver + Passenger) Pedestrian Protection													· · · · · · · · · · · · · · · · · · ·
ABS													Power Steering
Front Seat Belts Pre-tensioner and Force L	miterX X X						×		<u>х</u>		X		Power Steering
Headlight Leveling													Туре
Rear Window Wiper & WasherXXXX	-	-		-	-		X	X	х	X		<u> </u>	Tyres
Front Ventilated Disc												<u> </u>	Tyres
Immobilizer	-	-		-	-								
Child Proof Rear Door Locks		-			-							<u> </u>	Tyre Size*
Rear Window DemisterXXXX						×	Х	X	X	X		<u> </u>	
Outside Air Temperature DisplayXXXXX	-	-				Х	X	X					Brakes
Speed Alert System#							~	~					Fron
		1	1	1	1				1				1 11011
Reverse Parking Assist Sensors Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Trans													-

SPECIFICATION SHEET		PETROL	CNG			
Dimensions (in						
mm) Overall		369	369			
Length		5	5			
Overall Width		160	160			
Overall Height		0	0			
Wheelbase	Fron	156	156			
Tread	t	0	0			
Engine	Rear	242	242			
Туре		№ 10B	1510B			
Capacity		919482.cc	9982cc			
Engine Type		Al@minium	Alu¢hinium			
Number of Cylinders		1481	141			
Number of Valves in Each Cylinder		0 4	0.4			
			Petrol Mode: 50@6000			
Maximum Output (kW/rpm)		50@6000	CNG Mode: 43.5@6000			
			Petrol Mode: 90@3500			
Maximum Torque (Nm/rpm)		90@3500	CNG Mode: 78@3500			
Emission Standard		BS6+OBD I	BS6+OBD I			
Type Accelerator Pedal		Electric	Electric type			
Transmission		type				
Туре		5MT/ Auto Gear Shift	5MT			
Suspension System						
Front		Mac Pherson Strut with Coil Spring	Mac Pherson Strut with Coil Sprir			
Rear		Coupled Torsion Beam Axle with Coupled Torsion Beam Axle with				
			Coil Spring			
Weight (kg)						
Kerb Weight (min./with Full		815/850	920 (VXI), 925 (VXI (O))			
Options) Gross Vehicle Weight		1250	1350			
Capacity						
	1	-	5			
Seating Capacity	Persons	5	5			
	Persons	235	-			
Seating Capacity Luggage Capacity (L)	Persons	235	- 35			
Luggage Capacity (L)	Persons		-			
Luggage Capacity (L)	Persons	235	- 35			
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering	Persons	235	- 35 (Petrol)			
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type	Persons	235 35	- 35 (Petrol) 60 (CNG)			
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering	Persons	235 35	- 35 (Petrol) 60 (CNG)			
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres	Persons	235 35 Electronic Power Steering LXi-155/80R13	- 35 (Petrol) 60 (CNQ) Electronic Power Steering			
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres Tyre Size*	Persons	235 35 Electronic Power Steering LXi-155/80R13	- 35 (Petrol) 60 (CNQ) Electronic Power Steering			

ARCTIC WHITE
Image: Silky silver
Image: Silver
Image

Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images are used for illustration purposes. 2020 Sales Points, 3200 Service Centres, 1652 cities covered by service centwork & over 34293 trained sales personnel as on 1st April, 2017. #The speed alert system gives audible warning for over-speed to driver. When Vehicle speed exceeds 80km/h, primary level warning with two beeps will sound every minute. When the vehicle speed acceeds about 120 km/h, speed alert slowed down to about 78 km/h speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.*Spare wheel material is steel and spare tyre size is LXi -155/80R13, VXi and above - 165/70R14.



Maruti Suzuki India Limited

Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070, INDIA