

For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kuni, New Delhi 110070, Tel.011-46781000.





BIMAL AUTO AGENCY
PLATINUM AWARDS

Google

4.8 **** **32,000+** Reviews kerala.bimalmaruti.com One Call

087 4809 4809

5+ LOCATIONS 1 EXPERIENCE

SALES Kannur Road, Kozhikode

SERVICE Areekkad, Kozhikode **TRUE VALUE**

Thiruvangoor Kozhikode


DRIVING SCHOOL **COMMERCIAL**


Pooladikunnu, Kozhikode

OUR EMPLOYEES ARE VACCINATED, YOU ARE WELCOME TO A SAFER CAR BUYING EXPERIENCE. WALKIN NOW!


































































Feel protected with the strong
Heartect Platform, strengthened by an impact-absorbing structure. It assures you safety and stability.













FEATURE LIST			V	'ARIANTS	
Grade Name		Std MT	LXi MT/	VXi MT / VXi AGS/ VXi CNG MT	VXi+ MT / VXi+ AGS
INTERIORS					
	High Seating for commanding drive view				
	Coloured Centre Garnish	-	-	-	*
	Front Cabin Lamp (3				
	positions)	0			
	AC with Heater	-			
	Power Steering	-			
	Accessory Socket	-	-		
	Front Console Utility Space				
	1L Bottle Holders with Map				
	Rear Console Utility Space				
COMFORT	Co-Driver Side Utility Space				
	Reclining & Front Sliding Sea	ts			
	Remote keyless entry	_	-		
	Rear Parcel Tray	-	-	_	
	Front Power Windows	-	-	-	
	Internally Adjustable ORVMs	-	-		
	(Dr+Co. Dr)	-	-	-	
INFOTAINME NT SYSTEM	SmartPlay Studio - 17.78 cm				
	Touch Screen Infotainment System	-	-	-	
	SmartPlay Dock	-	-		-
	Apple CarPlay and Android A	uto -	-	-	
	Bluetooth	-	-		
	Speakers	-	<u>-</u>	2	2
	USB connectivity/Aux	-	-		
	Steering-Mounted Audio & Vo	oice _	-	-	
SAFETY AND SECURITY	HEARTECT Platform Driver side Airbag				
	ABS with EBD				
	Seat belt reminder (Dr+Co. D	r)			
	with Buzzer	·			
	Reverse Parking Sensors				
	Speed Alert System**				
			l		

FEATURE LIST		VARIANTS			
Grade Name		Std MT	LXi MT/	VXi MT / VXi AGS/ VXi CNG MT	VXi+ MT / VXi+ AGS
	Pedestrian protection				
	Crash compliance				
SAFETY AND SECURITY	Immobiliser				
	Child Proof Rear Door Lock				
	Speed Sensitive Auto Door Lo	ock -	-		
	Central Door Locking	-	-		
	Passenger side Airbag	0	0	0	
	Seatbelt Pre-tensioner and F Limiter (Dr+Co. Dr)	orce O	0	0	
	Low Fuel Warning (Gasoline)	-	-	SmartPlay Dock	SmartPlay Studio
	Door Ajar Warning	-	-	SmartPlay Dock	SmartPlay Studio
	Parking Brake Warning				
	SUV Inspired Bold Front Faso	ia			
	Twin Chamber Headlamps				
	Roof Antenna	-	-		
	Signature C shaped Tail Lamp)S			
	B-Pillar Black out Tape	-	-	-	
Exterior					
	Body Coloured Bumpers	-	-		
	Body Coloured ORVMs	=	-	-	
	Body Coloured Outside Door Handles	-	-	-	
	Full Wheel Covers	-	-		
INSTRUME NT CLUSTER	Digital Display in the Instrum Cluster	ent			
	Fuel Consumption (Instantaneous & Average) Headlamp On Warning	-	-		
	Gear Shift Indicator (MT only		-		
	Gear Position Indicator (AGS only) Distance to empty	-	-	Gasoline	
	Distance to empty		-		

TECHNICAL SPECIFICA	TION					
		Petrol	CNG			
Dimensions	Length	35	66			
	(mm)	5				
	Width	1549 (Std, ¹⁵	2 1549(LX			
	(mm)	LXi) 1564 0	i) 1564(VX			
	Wheelbase (mm)	(VXi, VXi+) 23	i) 1564(VX			
	Turning Radius (m)	0				
	Seating Capacity	5 4.	4			
	Туре	K1	0B			
	Capacity (cc)	998				
	Compression Ratio	11.0:1				
	Bore X Stroke (mm)	73.0 X 79.5				
Engine	Power (kW @ RPM)	50 @ 5500	43.5 @			
	Torque (Nm @ RPM)	90 @ 3500	5500 78 @			
	Fuel Type	Petrol	3500			
	Fuel Tank Capacity (L)	27	Petrol+CN			
		27	capacity)			
Emission Type		BS VI				
	Drive	2WD, FF				
Drive & Transmission	Transmission	5MT / AGS5MT				
	Front	Ventilated Disc				
Brake	Rear	Drum				
	Front	MacPherson Strut with Coi	MacPherson Strut with Coil			
Suspension		SpringSpring and Stabilizer				
	Rear	Torsion Beam with Coil Spring				
	Tyre Size	145/80 R13 (Std LXi),145/				
		165/70 R14 (VXi, VXi+)165 726-767	831-854			
	Kerb Weight (kg)	11	70			
Weight	Maximum GVW (kg)					








^Height = 1549 for Std and LXi variant.

CHOICE OF COLOURS



Drive with a mileage of:-



^{*}As certified by test agency under rule 115(G) of Central Motor Vehicle Rules, 1989.

All variants are BS VI compliant.

Std: Standard, AGS: Auto Gear Shift, MT: Manual Transmission, O: Optional (available in Standard, LXi & VXi variants)

*Orange in Solid Sizzle Orange body colour and Silver in the remaining 5 body colours.

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. **The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.